



DESIGN GUIDELINES — E	BASE DEPTH		GEOPAVE MATERIAL S	PECIFICATION
LOAD DECORIDION	ODD 0 497	ODD > 467	MATERIAL	UP TO 100% RECYCLED POLYETHYLENE
LOAD DESCRIPTION	CBR 2 - 4%	CBR > 4%	COLOR	RANGES DARK SHADES GRAY TO BLACK
Heavy Fire Truck Access & H/HS25 loading. Typical 110 psi			CHEMICAL RESISTANCE	SUPERIOR
(758 kPa) tire pressure. Single axle loadings of 40 kips (178 6 IN (150 MM)		6 IN (150 MM)	CARBON BLACK FOR UV STABILIZATION, %	1.5 TO 2.0%
kN). Gross vehicle weight of 90,000 lbs) (40.1 MT).	· · · · ( · · · · · · · · · · · · · · ·	6 IN (150 MM)  UNIT MIN CRUSH STRENGTH - EMPTY ® 70F (21C)  UNIT MIN CRUSH STRENGTH - FILLED ® 70F (21C)  FLEXURAL MODULUS ® 70F (21C)  NOMINAL DIMENSIONS - WIDTH X LENGTH  NOMINAL UNIT DEPTH	175 PSI (1,202 KPa)	
			UNIT MIN CRUSH STRENGTH - FILLED @ 70F (21C)	5,160 PSI (35,625KPa
Heavy Fire Truck Access & H/HS20 loading. Typical 110 psi (758 kPa) tire pressure. Single axle loadings of 32 kips (145	6 IN (150 MM)	6 IN (150 MM)	FLEXURAL MODULUS @ 70F (21C)	35,000 PSI (240,000 KPa)
kN). Gross vehicle weight of 80,000 lbs) (36.3 MT).		0 IN (130 MM)	NOMINAL DIMENSIONS — WIDTH X LENGTH	20 X 40 IN (0.5 X 1.0 M)
			NOMINAL UNIT DEPTH	2.0 IN (50 MM)
Light Fire Truck Access & H/HS15 loading. Typical 85 psi	NOMINAL UNIT DEPTH	4 11 (400 111)	NOMINAL AREA	5.38 SQFT (0.5 SQMTR)
(586 kPa) tire pressure. Single axle loadings of 24 kips (110 kN). Gross vehicle loads of 60,000 lbs (27.2 MT).		50		
			SMALL CELL SIZE	3.25 X 3.25 IN (83 X 83 MM)
Utility & Delivery Truck Access & H/HS10 loading. Typical 60			LARGE CELL SIZE	3.25 X 6.5 IN (83 X 165 MM)
psi (414 kPa) tire pressure. Single axle loadings of 16 kips	4 IN (100 MM)	CBR > 4%   COLOR	90.5%	
(75 kN). Gross vehicle loads of 40,000 lbs (18.1 MT).			BOTTOM OPEN AREA PER UNIT	32.6%
Cars & Pick-up Truck Access. Typical 45 psi (310 kPa) tire	2 IN (50 MM)	NONE	BOTTOM MESH OPENING SIZE	0.25 X 0.25 IN (6.35 X 6.35 MM)
pressure. Single axle loadings of 4 kips (18 kN). Gross vehicle loads of 8,000 lbs (3.6 MT).			NOMINAL WEIGHT PER UNIT	7.6 LBS (3.4 KG)
		RUNOFF COEFFICIENT @ 2.5 IN/HR (64 MM)		0 - 0.15
Trail Use. Loading for pedestrian, wheelchair, equestrian,	NONE	NONE		0 - 0.15
bicycle, motorcycle and ATV traffic.	HONE	INDIAL	UNITS PER PALLET	46


- 1. This information is based on the use of GeoPave manufactured by Reynolds Presto Products, Inc. All rights reserved. Any use of this information for any rigid porous paver product other than that manufactured by Reynolds Presto Products, Inc. is strictly prohibited and makes this information invalid.
- 2. Aggregate infill shall be 0.375 to 0.5 inch (10 to 13 mm) open graded crushed aggregate with fine content less than 5% to allow for free drainage.
- 3. Aggregate base shall be 0.375 to 1.0 inch (10 to 25 mm) open graded crushed aggregate with fine content less than 5% to allow for free drainage.
- 4. A minimum 2 inch (50 mm) of aggregate base should be placed below the units to act as drainage layer and infiltration area. The Engineer of Record shall be responsible for the design and stability of the open graded base course.
- 5. Provide a non-woven geotextile separation layer and install in accordance with Manufacturer recommendations including overlaps based on sub grade CBR.
- 6. Connect GeoPave panels with the U-CLIP connection device at all half wall locations, and driven completely so that adjacent sections have horizontally level profiles.
- 7. Refer to the GeoPave Design and Construction Overview for a complete description of the design and construction methods.







			GEOPAVE MATERIAL S	PECIFICATION
LOAD DECORIDATION	000 0 49	000 > 400	MATERIAL	UP TO 100% RECYCLED POLYETHYLENE
LOAD DESCRIPTION	CBR 2 - 4%	CBR > 4%	COLOR	RANGES DARK SHADES GRAY TO BLACK
Heavy Fire Truck Access & H/HS25 loading. Typical 110 psi			CHEMICAL RESISTANCE	SUPERIOR
(758 kPa) tire pressure. Single axle loadings of 40 kips (178	6 IN (150 MM)	6 IN (150 MM)	•	1.5 TO 2.0%
kN). Gross vehicle weight of 90,000 lbs) (40.1 MT).	· · · · ( · · · · · · · · · · · · · · ·		UNIT MIN CRUSH STRENGTH - EMPTY @ 70F (21C)	175 PSI (1,202 KPa)
			UNIT MIN CRUSH STRENGTH - FILLED @ 70F (21C)	5,160 PSI (35,625KPa
Heavy Fire Truck Access & H/HS20 loading. Typical 110 psi (758 kPa) tire pressure. Single axle loadings of 32 kips (145	6 IN (150 MM)	(150 MM) 6 IN (150 MM) CHEMIC CARBON BLACK UNIT MIN CRUSH STR UNIT MIN CRUSH STR UNIT MIN CRUSH STR FLEXURAL M NOMINAL DIMENS NOMIN (150 MM) 4 IN (100 MM) CEL SMA (100 MM) 2 IN (50 MM) TOP OPE BOTTOM M	FLEXURAL MODULUS @ 70F (21C)	35,000 PSI (240,000 KPa)
kN). Gross vehicle weight of 80,000 lbs) (36.3 MT).	6 IN (150 MM)		NOMINAL DIMENSIONS — WIDTH X LENGTH	20 X 40 IN (0.5 X 1.0 M)
			NOMINAL UNIT DEPTH	2.0 IN (50 MM)
Light Fire Truck Access & H/HS15 loading. Typical 85 psi	C IN (150 MM)	CBR > 4%   COLOR   CHEMICAL RESISTANCE   CARBON BLACK FOR UV STABILIZATION, %   UNIT MIN CRUSH STRENGTH - EMPTY @ 70F (21C   UNIT MIN CRUSH STRENGTH - FILLED @ 70F (21C   UNIT MIN CRUSH STRENGTH - FILLED @ 70F (21C   UNIT MIN CRUSH STRENGTH - FILLED @ 70F (21C   UNIT MIN CRUSH STRENGTH - FILLED @ 70F (21C   NOMINAL DIMENSIONS - WIDTH X LENGTH   NOMINAL UNIT DEPTH   NOMINAL UNIT DEPTH   SMALL CELLS PER UNIT   SMALL CELL SIZE   LARGE CELL SIZE   LARGE CELL SIZE   LARGE CELL SIZE   TOP OPEN AREA PER UNIT   BOTTOM OPEN AREA PER UNIT   BOTTOM OPEN AREA PER UNIT   BOTTOM MESH OPENING SIZE   NOMINAL WEIGHT PER UNIT   RUNOFF COEFFICIENT @ 2.5 IN/HR (64 MM)   RAINFALL WITH ENGINEERED INFILL	NOMINAL AREA	5.38 SQFT (O.5 SQMTR)
(586 kPa) tire pressure. Single axle loadings of 24 kips (110 kN). Gross vehicle loads of 60,000 lbs (27.2 MT).	6 IN (150 MM)		50	
·			SMALL CELL SIZE	3.25 X 3.25 IN (83 X 83 MM)
Utility & Delivery Truck Access & H/HS10 loading. Typical 60	4 111 (400 1111)	0 111 (50 111)	LARGE CELL SIZE	3.25 X 6.5 IN (83 X 165 MM)
psi (414 kPa) tire pressure. Single axle loadings of 16 kips	4 IN (100 MM)	2 IN (50 MM)	CBR > 4%  COLOR  CHEMICAL RESISTANCE  CARBON BLACK FOR UV STABILIZATION, %  UNIT MIN CRUSH STRENGTH — EMPTY ® 70F (21C)  UNIT MIN CRUSH STRENGTH — FILLED ® 70F (21C)  FLEXURAL MODULUS ® 70F (21C)  NOMINAL DIMENSIONS — WIDTH X LENGTH  NOMINAL UNIT DEPTH  NOMINAL AREA  CELLS PER UNIT  SMALL CELL SIZE  LARGE CELL SIZE  LARGE CELL SIZE  TOP OPEN AREA PER UNIT  BOTTOM OPEN AREA PER UNIT  BOTTOM MESH OPENING SIZE  NOMINAL WEIGHT PER UNIT  RUNOFF COEFFICIENT ® 2.5 IN/HR (64 MM)  PAINTEAL WITH ENGINEEPER UNIT	90.5%
(75 kN). Gross vehicle loads of 40,000 lbs (18.1 MT).			BOTTOM OPEN AREA PER UNIT	32.6%
Cars & Pick—up Truck Access. Typical 45 psi (310 kPa) tire pressure. Single axle loadings of 4 kips (18 kN). Gross vehicle loads of 8,000 lbs (3.6 MT).	2 IN (50 MM)	NONE	BOTTOM MESH OPENING SIZE	0.25 X 0.25 IN (6.35 X 6.35 MM)
			NOMINAL WEIGHT PER UNIT	7.6 LBS (3.4 KG)
Trail Use. Loading for pedestrian, wheelchair, equestrian,	NONE	NOVE		0.10 - 0.35
bicycle, motorcycle and ATV traffic.	NONE	NONE		


- 1. This information is based on the use of GeoPave manufactured by Reynolds Presto Products, Inc. All rights reserved. Any use of this information for any rigid porous paver product other than that manufactured by Reynolds Presto Products, Inc. is strictly prohibited and makes this information invalid.
- 2. Engineered infill is a homogenous mixture consisting of open graded crushed aggregate having an AASHTO # 5 or similar designation blended with pulverized topsoil and a void component generally containing air and/or water. This homogenous mixture will promote vegetative growth and provide required structural support. The aggregate portion shall have a particle range from 0.375 to 0.5 in (9.5 to 13 mm) and free from fines per Presto's guidelines. The percentage void—space of the aggregate portion when compacted shall be at least 30%. The pulverized topsoil portion shall equal 33% +/- of the total volume and be added and blended to produce a homogenous mixture prior to placement.
- 3. Engineered base is a homogenous mixture consisting of open graded crushed aggregate having an AASHTO # 5 or similar designation blended with pulverized topsoil and a void component generally containing air and/or water. This homogenous mixture will promote vegetative growth and provide required structural support. The aggregate portion shall have a particle range from 0.375 to 1.0 in (9.5 to 25 mm) with a D50 of 0.5 in (13 mm). The percentage void—space of the aggregate portion when compacted shall be at least 30%. The pulverized topsoil portion shall equal 33% +/— of the total volume and be added and blended to produce a homogenous mixture prior to placement.
- 4. A minimum 2 inch (50 mm) of engineered base should be placed below the units to act as drainage layer and infiltration area. The Engineer of Record shall be responsible for the design and stability of the open graded base course.
- 5. If required, provide a non-woven geotextile separation layer and install in accordance with Manufacturer recommendations including overlaps based on sub grade CBR.
- 6. Connect GeoPave panels with the U-CLIP connection device at all half wall locations, and driven completely so that adjacent sections have horizontally level profiles.
- 7. Refer to the GeoPave Design and Construction Overview for a complete description of the design and construction methods.




- 1. This information is based on the use of GeoPave manufactured by Reynolds Presto Products, Inc. All rights reserved. Any use of this information for any rigid porous paver product other than that manufactured by Reynolds Presto Products, Inc. is strictly prohibited and makes this information invalid.
- 2. Drainage pipe shall be a perforated pipe, sized for expected hydraulic volume, and daylighted at a suiteable location. The Engineer of Record shall be responsible for the design of the drainage system.
- 3. A minimum of 2 inches of base material shall be placed between the drainage system and the GeoPave panels.
- 4. Refer to the GeoPave Design and Construction Overview for a complete description of the design and construction methods.








- 1. This information is based on the use of GeoPave and GeoPave SNAP Delineators manufactured by Reynolds Presto Products, Inc. All rights reserved. Any use of this information for any rigid porous paver product other than that manufactured by Reynolds Presto Products, Inc. is strictly prohibited and makes this information invalid.
- 2. Produced in high visibility colors to mark parking spaces, drive lanes, center lines or other delineation.
- 3. SNAP Delineators integral locking snaps function in the GeoPave unit's square or rectangular cells at the placement density to meet visual and local agency requirements.
- 4. SNAP Delineators are compatible with aggregate and engineered fill materials.
- 5. Raised profile with diamond grid pattern aids in driver visibility and vehicle traction.
- 6. Refer to the GeoPave Design and Construction Overview for a complete description of the design and construction methods.







# GEOPAVE SNAP DELINEATOR POROUS PAVEMENT SYSTEM

PRESTO,  $^{\textcircled{\tiny{0}}}$  GEOSYSTEMS,  $^{\textcircled{\tiny{0}}}$  AND GEOPAVE  $^{\textcircled{\tiny{0}}}$  ARE REGISTERED TRADEMARKS OF REYNOLDS PRESTO PRODUCTS, INC.

DATE:	MARCH 2020	FILE NAME	GEOPAVE-D1.DWG
SCALE:	NTS	SHEET	1